

STANDARD NOTES
SOIL EROSION AND SEDIMENT CONTROL

Rev. 06/12

Projects that require site improvements beyond the construction of dwelling unit(s), such as street or drainage improvements or excessive land grading, shall NOT use this form.

SCD# _____ (to _____ be _____ assigned)
MUNICIPALITY _____

BLOCK(S) _____ LOT(S) _____

PROJECT STREET ADDRESS _____

CONSTRUCTION SCHEDULE:

1. Clearing of lot(s).
2. Installation of stone pad(s) and silt fence along paved street(s).
3. Construction of dwelling unit(s).
4. Final grading of lot(s).
5. Permanent stabilization of lot(s).

STABILIZATION NOTES: (rates are all per 1,000 square feet).

- Prepare seedbed. All debris must be removed from topsoil before work is performed.
- Apply ninety (90) pounds ground limestone.
- Apply eleven (11) pounds 10-20-10 fertilizer.
- Apply seed using one of the seeding mixtures below. All seed must be incorporated or raked into the soil.
- Apply ninety (90) pounds mulch; mulch with grain straw or salt hay only.
- All mulch MUST be properly tacked (anchored).

NOTE: At the time of the final inspection, you are required to provide confirmation that the proper type and amount of seed, lime and fertilizer have been used for permanent stabilization work.

SEEDING MIXTURES FOR HOME LAWNS: (All seed must be incorporated or raked into the soil).

	<u>Plant Species</u>	<u>Seeding Rate (Pounds per 1,000 square feet)</u>	
MIX #1	Tall fescue (turf-type)	93%	6.5
	Perennial ryegrass	7%	<u>0.5</u>
		Total	7.0 pounds per 1,000 square feet
MIX #2	Tall fescue (turf-type)	45%	2.0
	Creeping red fescue	22%	1.0
	Chewings fescue	22%	1.0
	Perennial ryegrass	11%	<u>0.5</u>
		Total	4.5 pounds per 1,000 square feet

At the time of application for a construction permit, the applicant/owner of each lot shall submit two (2) sealed plot plans to the Ocean County Soil Conservation District for review and approval.

APPLICANT'S NAME (PRINT) _____ PHONE _____

CELL _____

FAX _____

APPLICANT'S SIGNATURE _____ DATE _____

CURRENT MAILING ADDRESS _____